

FLOS

■ F6604030 Black

Taccia Small

Designed by Achille and Pier Giacomo Castiglioni, 1962


16W - 2700K



Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent blown glass. Body in matt black or naturally anodized extruded aluminium. Base in nickel-plated ABS+PC. Electric cable of useful length 190 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607006740 |
| Mounting | Table floor |
| Environments | Indoor dry location |
| Light Source Type | LED |
| LED type | LED array |
| Power (W) | 16 |

Physical

| | |
|---------------------|-------|
| Colour | Black |
| Cord length (mm) | 1900 |
| Net weight (kg) | 4.25 |
| Package volume (m3) | 0.11 |
| IP internal | 20 |


Download

| | |
|-----------------------|-------|
| Mounting instructions | ↓ PDF |
| Mounting instructions | ↓ PDF |
| Spare Parts | ↓ PDF |




Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user


Photometric

| | |
|--------------------|------------|
| Lighting type | Indirect |
| Light distribution | Asymmetric |
| CCT (K) | 2700 |

Electrical

| | |
|----------------------|------------------------|
| Insulation class | III |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 100-240/24 |
| LED voltage Vf (Vdc) | null |
| Driver | Remote included |
| Dimmable | Yes |
| Dimming type | Electronic 24V |
| Dimming interface | Dimmer Integrated |
| Plug type | Type G, Type A, Type C |
| Batteries inside | No |
| Charging min time | No |

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Taccia Small transparent diffuser & reflector | F6606000 |
| 02. | White reflector | RF24886 |
| 03. | Taccia Small LED black base | F6605030 |
| 04. | Jack plug with coaxial cable and dimmer | RF6605100 |
| 05. | Black plug assembly kit & 24V driver | RF3320100 |

DOWNLOAD



F6606000
Taccia Small transparent diffuser
& reflector



RF24886
White reflector



F6605030
Taccia Small LED black base



RF6605100
Jack plug with coaxial cable and
dimmer



RF3320100
Black plug assembly kit & 24V
driver